

Compressors, Chillers & Condensers

PART NUMBERING GUIDE

HERMETIC

SCROLL

CARLYLE/DANFOSS

CARLYLE SCROLL COMPRESSOR

GUIDE TO PART NUMBERING SYSTEM:

EXAMPLE:

S C D 3 4 0 A C

COMPRESSOR FAMILY / SERIES

- S - 1ST GENERATION
- X - 2ND GENERATION

REFRIGERANT TYPE & FRAME SIZE

SMALL FRAME

- C - R-22 / R-407C, SMALL FRAME
- G - R-410A, SMALL FRAME

LARGE FRAME

- N - R-410A, LARGE FRAME
- R - R-22 / R-407C, LARGE FRAME

ELECTRICAL CODES

- D - 208/230-1-60
- E - 220/240-1-50
- Y - 203/230-3-60
- T - 346/380-3-50/60
- H - 400/460-3-50/60
- J - 575-3-60

MANUFACTURING VARIABLE

- A - BASE DESIGN
- C - INTERNAL RELIEF/ T-STAT
- E - 'RING' TYPE TERMINALS
- F - SIGHT GLASS (CML ONLY)
- R - WARRANTY REPLACEMENT
- T - TANDEM MODEL (FLARE OIL CONN.)
- U - TANDEM MODEL (SWEAT OIL CONN.)

APPLICATION VARIABLE

- A - STANDARD EFFICIENCY
- B - ALTERNATE OIL FOR R-407C
- E - ECONOMIZED
- H - HIGH EFFICIENCY

MOTOR VARIABLE

- 0 - SINGLE PHASE
- 2 - 3 PH. DESIGN CHANGE

NOMINAL CAPACITY

4TH & 5TH DIGITS x 1000 = RTU/H

NOTE: 6TH DIGIT IS ALSO USED IF NOMINAL

CAPACITY IS GREATER THAN 100,000

Compressors, Chillers & Condensers

PART NUMBERING GUIDE

HERMETIC

SCROLL

CARLYLE/DANFOSS

Danfoss Serial Numbers Update

(All compressors except Performer H series & MLM/ MLZ)

Starting from January 2010, the serial number system for Danfoss Commercial Compressors products has been updated. This update mainly applies to the year code for which the old system ended at 2009.

Example:	A Year Code		B Month Code		12 Plant assembly line code		12345678 8 digits serial number	
Year code	1990	A	2000	L	2010	A	2020	L
	1991	B	2001	M	2011	B	2021	M
	1992	C	2002	N	2012	C	2022	N
	1993	D	2003	P	2013	D	2023	P
	1994	E	2004	Q	2014	E	2024	Q
	1995	F	2005	R	2015	F	2025	R
	1996	G	2006	S	2016	G	2026	S
	1997	H	2007	T	2017	H	2027	T
	1998	J	2008	U	2018	J	2028	U
	1999	K	2009	V	2019	K	2029	V

Month code

January	A
February	B
March	C
April	D
May	E
June	F

July	G
August	H
September	J
October	K
November	L
December	M

Plant assembly line code

Trévoux, France	10, 23, 24
Anse, France	11, 12, 13
Lawrenceville, USA	14, 15, 26

Wuqing, China	25, 27
Arkadelphia, USA	28

8 Digit Serial number

The serial number continues to increment from existing counters.

Performer H series, & MLM/MLZ

The serial number system for Performer H series and MLM/MLZ is different from the above and remains unchanged.

Example:

S	03	09	K	12345
Scroll	Production Week	Production Year	Arkadelphia Facility	Incremental Number

Compressors, Chillers & Condensers

Compressors, Chillers, Condensers

Motors

Electrical

Heating Components

Indoor Air Quality

Thermostats

Oils & Chemicals

Accessories, Supplies & Commodities

Tools & Instruments

Refrigeration

PART NUMBERING GUIDE

HERMETIC

SCROLL

CARLYLE/DANFOSS

Nomenclature

Danfoss Scroll compressor model numbers have significance as indicated below:

Type | **Size** | **Motor** | **Features**
HRH | **036** | **U1L** | **P6**

Application

H: high temperature air conditioning
E: with economizer

Family

D: residential scroll
C: light commercial scroll
R: residential scroll (new platform)
L: light commercial scroll (new platform)

Refrigerant and lubricant

M: R-22, mineral or alkylbenzene oil
P: R-407C, POE lubricant
H: R-410A, POE lubricant
J: R-410A, PVE lubricant

Nominal capacity

In thousands of Btu/h @ 60Hz, ARI conditions

Model variation

T: design optimized for 7.2/54.4 (45/130)
U: design optimized for 7.2/37.8 (45/100)

Other features

	Oil sight glass	Oil equalization	Oil drain	LP gauge port
2	None	None	None	Schrader
5	Thread	Rotolock	NPT	Schrader
6	None	None	None	None
7	Thread	None	None	None
8	None	Brazed	None	None

Tubing and electrical connections

P: brazed connections, spade terminals
C: brazed connections, screw terminals
R: rotolock connections, screw terminals

Motor protection

L: internal motor protection

Motor voltage code

1: 208-230 V 1~ 60 Hz
2: 208-230 V 3~ 60 Hz
4: 380-400 V 3~ 50 Hz and 460 V 3~ 60 Hz
5: 220-240 V 1~ 50 Hz and 265 V 1~ 60 Hz
7: 500 V 3~ 50 Hz and 575 V 3~ 60 Hz
9: 380 V 3~ 60 Hz

Voltage


Voltage Codes	Copeland	Danfoss
208-230V/1~/60Hz	PFV	1
208-230V/3~/60Hz	TFC or TF5	2
380V/3~/60Hz & 460V/3~/60Hz	TFD	4

Note on SEER ratings:

The Scroll Tech compressors have motors optimized for the different SEER ratings. Use motor variation «U» for 13 SEER applications and «T» for 10 SEER

Compressors, Chillers & Condensers

HERMETIC SCROLL CARLYLE/DANFOSS R-22, 60HZ



- High efficiency
- AC/HP Application
- Low sound and vibration levels
- R22
- High reliability
- 60 Cycles
- Compact and lightweight

NOTE: Run Capacitors listed are "Single" type. If a "Dual" type capacitor is required check "Capacitors" Section of this catalog.

PART NO	BTUH	OLD PART NO	REFR	VOLTS	PH	HZ	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
HRM038U1LP6	38010	XCD380HA	R-22	208/230	1	60	19.5	105	A	55/370	P291-5503	88-108/330	P281-8806
HRM040U1LP6	40100	XCD400HA	R-22	208/230	1	60	21	115	A	60/370	P291-6004R	88-108/330	P281-8806
HRM042U1LP6	42017	XCD420HA	R-22	208/230	1	60	27	97	A	60/370	P291-6004R	88-108/330	P281-8806
HRM045U1LP6	45014	XCD450HA	R-22	208/230	1	60	23	115	B	60/370	P291-6004R	88-108/330	P281-8806
XCD470HA	48000		R-22	208/230	1	60	24.4	120	B	60/370	P291-6004R	88-108/250	P281-8805
XCH382HA	38400		R-22	460	3	60	6.4	45	A	--	--	--	--
HRM040U4LP6	40011	XCH402HA	R-22	460	3	60	6.4	45	A	--	--	--	--
XCH422HA	42400		R-22	460	3	60	7.1	45	A	--	--	--	--
HRM045U4LP6	45015	XCH452HA	R-22	460	3	60	7.7	50	B	--	--	--	--
XCH472HA	48000		R-22	460	3	60	7.7	50	B	--	--	--	--
XCJ382HA	38400		R-22	575	3	60	5.4	38	A	--	--	--	--
XCJ402HA	40400		R-22	575	3	60	6	38	A	--	--	--	--
XCJ422HA	42400		R-22	575	3	60	5.8	38	A	--	--	--	--
XCJ452HA	45500		R-22	575	3	60	6	40	B	--	--	--	--
XCJ472HA	48000		R-22	575	3	60	6.4	40	B	--	--	--	--
HRM038U2LP6	38011	XCY382HA	R-22	208/230	3	60	12.2	95	A	--	--	--	--
XCY402HA	40400		R-22	208/230	3	60	12.8	95	A	--	--	--	--
HRM042U2LP6	42400	XCY422HA	R-22	208/230	3	60	14.1	95	A	--	--	--	--
HRM045U2LP6	45015	XCY452HA	R-22	208/230	3	60	16	115	B	--	--	--	--
HRM047U2LP6	47524	XCY472HA	R-22	208/230	3	60	16	115	B	--	--	--	--
HRM048U1LP6	47719	XRD480HA	R-22	208/230	1	60	26.6	150	C	60/370	P291-6004R	161-193/250	P281-1895
XRD510HA	51800		R-22	208/230	1	60	25.6	150	C	70/370	P291-7013RS	161-193/250	P281-1895
HRM054U1LP6	53720	XRD540HA	R-22	208/230	1	60	25	150	C	70/370	P291-7013RS	161-193/250	P281-1895
XRD540HE	54200		R-22	208/230	1	60	25	150	D	60/370	P291-6004R	161-193/250	P281-1895
HRM058U1LP6	57721	XRD580HA	R-22	208/230	1	60	28.8	145	C	80/370	P291-8003	189-227/250	--
XRD580HE	58300		R-22	208/230	1	60	28.8	145	D	80/370	P291-8003	175-216/250	--
HRM060U1LP6	59774	XRD600HA	R-22	208/230	1	60	28.8	145	C	80/370	P291-8003	175-216/250	--
XRD600HE	60400		R-22	208/230	1	60	28.8	145	D	80/370	P291-8003	175-216/250	--
XRD680AA	69500		R-22	208/230	1	60	29	145	C	80/370	P291-8003	175-216/250	--
XRD720AA	73100		R-22	208/230	1	60	29	145	C	80/370	P291-8003	175-216/250	--
XRD750AA	76300		R-22	208/230	1	60	29	145	C	80/370	P291-8003	175-216/250	--
XRD810AA	79800		R-22	208/230	1	60	35	145	F	80/370	P291-8003	175-216/250	--
HRM048U4LP6	47218	XRH482HA	R-22	460	3	60	8	55	C	--	--	--	--
XRH482HU	47700		R-22	460	3	60	8	60	E	--	--	--	--
HRM054U4LP6	53720	XRH542HA	R-22	460	3	60	8.4	62	C	--	--	--	--
XRH542HU	54200		R-22	460	3	60	8.4	62	E	--	--	--	--
HRM058U4LP6	57823	XRH582HA	R-22	460	3	60	9.6	70	C	--	--	--	--
XRH582HU	58400		R-22	460	3	60	9.6	70	E	--	--	--	--
HRM060U4LP6	59724	XRH602HA	R-22	460	3	60	9.6	70	C	--	--	--	--

Compressors,
Chillers, Condensers

Motors

Electrical

Heating
Components

Indoor Air
Quality

Thermostats

Oils &
Chemicals

Accessories, Supplies
& Commodities

Tools &
Instruments

Refrigeration

Compressors, Chillers & Condensers

Compressors,
Chillers, Condensers

**HERMETIC
SCROLL
CARLYLE/DANFOSS**
R-22, 60HZ

Motors

Electrical

Heating
Components

Indoor Air
Quality

Thermostats

Oils &
Chemicals

Accessories, Supplies
& Commodities

Tools &
Instruments

Refrigeration

PART NO	BTUH	OLD PART NO	REFR	VOLTS	PH	HZ	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
XRH602HU	60300		R-22	460	3	60	9.6	70	E	--	--	--	--
XRH812AE	82300		R-22	460	3	60	11	87	F	--	--	--	--
XRJ542HA	54200		R-22	575	3	60	7	53	C	--	--	--	--
XRJ582HA	58400		R-22	575	3	60	7.4	53	C	--	--	--	--
XRJ602HA	60300		R-22	575	3	60	7.4	53	C	--	--	--	--
XRY482HA	47700		R-22	208/230	3	60	17.6	120	C	--	--	--	--
XRY482HU	47700		R-22	208/230	3	60	17.6	120	E	--	--	--	--
XRY512HA	51800		R-22	208/230	3	60	16.7	120	C	--	--	--	--
HRM054U2LP6	54200	XRY542HA	R-22	208/230	3	60	17.3	123	C	--	--	--	--
HRM058U2LP6	58400	XRY582HA	R-22	208/230	3	60	17.3	123	C	--	--	--	--
XRY582HU	58400		R-22	208/230	3	60	17.3	123	E	--	--	--	--
XRY602HA	60300		R-22	208/230	3	60	17.9	123	C	--	--	--	--
XRY602HU	60300		R-22	208/230	3	60	17.9	123	E	--	--	--	--
SRH782AE	78250		R-22	460	3	60	10.2	90	L	--	--	--	--
SRH812AE	82400		R-22	460	3	60	11	90	L	--	--	--	--
SRH942AE	95400		R-22	460	3	60	13.5	95	G	--	--	--	--
SRH942AU	95400		R-22	460	3	60	13.5	95	M	--	--	--	--
SRH109AE	110400		R-22	460	3	60	16	110	K	--	--	--	--
SRH109AU	110400		R-22	460	3	60	16	110	J	--	--	--	--
SRH120AE	120500		R-22	460	3	60	19.2	140	K	--	--	--	--
SRJ782AE	78250		R-22	575	3	60	9	73	L	--	--	--	--
SRJ942AE	95400		R-22	575	3	60	10.2	75	G	--	--	--	--
SRJ942AU	95400		R-22	575	3	60	10.2	75	M	--	--	--	--
SRY782AE	78250		R-22	208/230	3	60	23	184	L	--	--	--	--
SRY812AU	82400		R-22	208/230	3	60	21.8	184	H	--	--	--	--
SRY942AE	95400		R-22	208/230	3	60	25.6	190	G	--	--	--	--
SRY942AU	95400		R-22	208/230	3	60	25.6	190	M	--	--	--	--
SRY120AE	120500		R-22	208/230	3	60	35.3	250	K	--	--	--	--

Compressors, Chillers & Condensers

HERMETIC SCROLL

CARLYLE/DANFOSS

R-22, 50HZ, AC/HP

PART NO	BTUH	OLD PART NO	REFR	VOLTS	PH	HZ	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
XCE380HA	32100		R-22	220/240	1	50	16	97	A	70/370	P291-7013RS	88-108/330	P281-8806
XCE420HA	35800		R-22	220/240	1	50	17.3	97	A	70/370	P291-7013RS	88-108/330	P281-8806
XCE450HA	37700		R-22	220/240	1	50	19.2	102	B	60/370	P291-6004R	88-108/330	P281-8806
XCE470HA	39800		R-22	220/240	1	50	19.2	102	B	60/370	P291-6004R	88-108/330	P281-8806
XCH382HA	31800		R-22	380/415	3	50	6.4	45	A	--	--	--	--
HRM040U4LP6	33400	XCH402HA	R-22	380/415	3	50	6.4	45	A	--	--	--	--
XCH422HA	35100		R-22	380/415	3	50	6.4	45	A	--	--	--	--
HRM045U4LP6	37700	XCH452HA	R-22	380/415	3	50	7.7	50	B	--	--	--	--
XCH472HA	39700		R-22	380/415	3	50	7.7	50	B	--	--	--	--
XCX382HA	31800		R-22	200/220	3	50	12.2	95	A	--	--	--	--
HRM038U2LP6	33400	XCX402HA	R-22	200/220	3	50	12.8	95	A	--	--	--	--
XCX422HA	35100		R-22	200/220	3	50	14.1	95	A	--	--	--	--
HRM045U2LP6	37700	XCX452HA	R-22	200/220	3	50	16	110	B	--	--	--	--
HRM047U2LP6	39700	XCX472HA	R-22	200/220	3	50	16	110	B	--	--	--	--
XRE580HA	48300		R-22	220/240	1	50	28.8	130	C	55/440	P291-5504	88-108/330	P281-8806
XRE600HA	50600		R-22	220/240	1	50	26.9	130	C	55/440	P291-5504	88-108/330	P281-8806
XRH482HA	39700		R-22	380/415	3	50	8	55	C	--	--	--	--
HRM054U4LP6	46200	XRH542HA	R-22	380/415	3	50	8.4	62	C	--	--	--	--
XRH542HU	46200		R-22	380/415	3	50	8.4	62	E	--	--	--	--
HRM058U4LP6	49500	XRH582HA	R-22	380/415	3	50	9.6	70	C	--	--	--	--
XRH582HU	49500		R-22	380/415	3	50	9.6	70	E	--	--	--	--
XRH602HA	51100		R-22	380/415	3	50	9.6	70	C	--	--	--	--
XRH602HU	51100		R-22	380/415	3	50	9.6	70	E	--	--	--	--
XRH812AE	68600		R-22	380/415	3	50	11	87	F	--	--	--	--
HRM054U4LP6	46200	XRY542HA	R-22	200/220	3	50	16	123	C	--	--	--	--
HRM058U2LP6	49500	XRY582HA	R-22	200/220	3	50	16	123	C	--	--	--	--
XRY602HA	51100		R-22	200/220	3	50	16.7	123	C	--	--	--	--
XRY602HU	51100		R-22	200/220	3	50	16.7	123	E	--	--	--	--
SRH782AE	66600		R-22	380/415	3	50	10.2	80	L	--	--	--	--
SRH812AE	69100		R-22	380/415	3	50	11	80	L	--	--	--	--
SRH942AE	79500		R-22	380/415	3	50	13.5	84	G	--	--	--	--
SRH942AU	79500		R-22	380/415	3	50	13.5	84	M	--	--	--	--
SRY782AE	66500		R-22	200/220	3	50	23	184	L	--	--	--	--
SRY812AU	69100		R-22	200/220	3	50	21.8	184	H	--	--	--	--
SRY942AE	79500		R-22	200/220	3	50	25.6	190	G	--	--	--	--
SRY942AU	79500		R-22	200/220	3	50	25.6	190	M	--	--	--	--

Compressors,
Chillers, Condensers

Motors

Electrical

Heating
Components

Indoor Air
Quality

Thermostats

Oils &
Chemicals

Accessories, Supplies
& Commodities

Tools &
Instruments


Refrigeration

Compressors, Chillers & Condensers

Compressors,
Chillers, Condensers

HERMETIC SCROLL

CARLYLE/DANFOSS
R-407C, 50HZ



- High efficiency
- Low sound and vibration levels
- High reliability
- Compact and lightweight
- 50 Cycles
- AC/HP Duty
- R407C

Motors

Electrical

Heating
Components

Indoor Air
Quality

Thermostats

Oils &
Chemicals

Accessories, Supplies
& Commodities


Tools &
Instruments

Refrigeration

PART NO	BTUH	OLD NO	REFR	VOLTS	PH	HZ	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
XCE470BA	38800		R-407C	220/240	1	50	19.2	102	B	60/370	P291-6004R	88-108/330	P281-8806
XCH382BA	30500		R-407C	380/415	3	50	7	45	A	--	--	--	--
XCH402BA	31400		R-407C	380/415	3	50	7.7	45	A	--	--	--	--
XCH422BA	33000		R-407C	380/415	3	50	6.4	45	A	--	--	--	--
XCH452BA	37300		R-407C	380/415	3	50	7.7	50	B	--	--	--	--
XCH472BA	38400		R-407C	380/415	3	50	7.7	50	B	--	--	--	--
XCY382BA	30500		R-407C	200/220	3	50	12.2	95	A	--	--	--	--
XCY422BA	33000		R-407C	200/220	3	50	14.1	95	A	--	--	--	--
XCY452BA	37300		R-407C	200/220	3	50	16	110	B	--	--	--	--
XCY472BA	38400		R-407C	200/220	3	50	16	110	B	--	--	--	--
XRE580BA	47200		R-407C	220/240	1	50	26.9	130	C	55/440	P291-5504	88-108/330	P281-8806
XRE600BA	48700		R-407C	220/240	1	50	25.6	130	C	55/440	P291-5504	88-108/330	P281-8806
XRE680BA	56400		R-407C	220/240	1	50	25.6	130	C	55/440	P291-5504	88-108/330	P281-8806
XRE720BA	57600		R-407C	220/240	1	50	25.6	130	C	55/440	P291-5504	88-108/330	P281-8806
XRE750BA	61100		R-407C	220/240	1	50	28.8	130	C	55/440	P291-5504	88-108/330	P281-8806
XRH482BA	38300		R-407C	380/415	3	50	7.7	55	C	--	--	--	--
XRH542BA	43300		R-407C	380/415	3	50	8	62	C	--	--	--	--
XRH542BU	43300		R-407C	380/415	3	50	8	62	E	--	--	--	--
XRH582BU	46500		R-407C	380/415	3	50	9.6	70	E	--	--	--	--
XRH602BA	47800		R-407C	380/415	3	50	9	70	C	--	--	--	--
XRH602BE	47800		R-407C	380/415	3	50	9	70	D	--	--	--	--
XRH602BU	47800		R-407C	380/415	3	50	9	70	E	--	--	--	--
XRH812BE	64100	SRH812BE	R-407C	380/415	3	50	11	80	L	--	--	--	--
SRH942BU	74400		R-407C	380/415	3	50	13.5	84	M	--	--	--	--
SRH109BE	86500		R-407C	380/415	3	50	16	110	K	--	--	--	--
SRH109BU	86500		R-407C	380/415	3	50	16	110	J	--	--	--	--
SRH120BE	94300		R-407C	380/415	3	50	19.2	140	K	--	--	--	--
SRH120BU	94300		R-407C	380/415	3	50	19.2	140	J	--	--	--	--
SRY942BE	74400		R-407C	200/220	3	50	25.6	190	G	--	--	--	--
SRY942BU	74400		R-407C	200/220	3	50	25.6	190	M	--	--	--	--

Compressors, Chillers & Condensers

**HERMETIC
SCROLL
CARYLE/DANFOSS
R-410A, 60HZ**




- High efficiency
- Low sound and vibration levels
- High reliability
- Compact and lightweight
- 60 Cycles
- AC/HP Duty
- R-410A

PART NO	BTUH	OLD No	REFR	VOLTS	PH	HZ	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
XGD320HA	31800		R-410A	208/230	1	60	16	88	A	50/370	P291-5003	88-108/250	P281-8805
P045-3521	36700	XGD360HA	R-410A	208/230	1	60	21.5	105	A	55/370	P291-5503	88-108/250	P281-8805
XGD380HA	38300		R-410A	208/230	1	60	21	115	A	60/370	P291-6004R	88-108/330	P281-8806
XGD410HA	42400		R-410A	208/230	1	60	21	115	B	60/370	P291-6004R	88-108/330	P281-8806
XGH382HA	38300		R-410A	460	3	60	7.7	50	A	--	--	--	--
XGH412HA	42400		R-410A	460	3	60	7.7	50	B	--	--	--	--
XGJ322HA	31800		R-410A	575	3	60	5.4	38	A	--	--	--	--
XGJ362HA	36700		R-410A	575	3	60	5.4	38	A	--	--	--	--
XGJ382HA	38300		R-410A	575	3	60	6	40	A	--	--	--	--
XGY322HA	31800		R-410A	208/230	3	60	12.8	95	A	--	--	--	--
XGY362HA	36700		R-410A	208/230	3	60	14.1	95	A	--	--	--	--
XGY382HA	38300		R-410A	208/230	3	60	14.7	115	A	--	--	--	--
XGY412HA	42400		R-410A	208/230	3	60	16	115	B	--	--	--	--
XND440HA	44900		R-410A	208/230	1	60	24.3	150	C	70/370	P291-7013RS	161-193/250	P281-1615
XND490HA	49500		R-410A	208/230	1	60	25	150	C	70/370	P291-7013RS	161-193/250	P281-1615
HRH051U1LP6	52100	XND510HA	R-410A	208/230	1	60	26.3	150	C	70/370	P291-7013RS	161-193/250	P281-1615
HRH054U1LP6	55100	XND540HA	R-410A	208/230	1	60	29	145	C	80/370	P291-8003	175-216/320	--
XND560HA	57500		R-410A	208/230	1	60	30.1	145	C	80/370	P291-8003	175-216/320	--
XNH442HA	44700		R-410A	460	3	60	8.6	60	C	--	--	--	--
XNH492HA	49300		R-410A	460	3	60	8.6	60	C	--	--	--	--
XNH512HA	51900		R-410A	460	3	60	8.3	70	C	--	--	--	--
XNH542HA	55000		R-410A	460	3	60	9.6	70	C	--	--	--	--
XNH562HA	56800		R-410A	460	3	60	9.6	70	C	--	--	--	--
XNH562HE	56800		R-410A	460	3	60	9.6	70	D	--	--	--	--
XNH682AE	69400		R-410A	460	3	60	12.2	87	D	--	--	--	--
XNJ442HA	44700		R-410A	575	3	60	6.7	42	C	--	--	--	--
XNJ492HA	49300		R-410A	575	3	60	6.7	42	C	--	--	--	--
XNJ512HA	51900		R-410A	575	3	60	7.4	53	C	--	--	--	--
XNJ542HA	55000		R-410A	575	3	60	7.5	53	C	--	--	--	--
XNJ562HA	56800		R-410A	575	3	60	8	53	C	--	--	--	--
XNJ682AE	69400		R-410A	575	3	60	8.6	62	D	--	--	--	--
XNY442HA	44700		R-410A	208/230	3	60	16.7	120	C	--	--	--	--
XNY492HA	49300		R-410A	208/230	3	60	16.7	120	C	--	--	--	--
XNY512HA	51900		R-410A	208/230	3	60	17.6	120	C	--	--	--	--
XNY542HA	55000		R-410A	208/230	3	60	17.6	120	C	--	--	--	--
XNY562HA	56800		R-410A	208/230	3	60	17.6	120	C	--	--	--	--
XNY682AE	69400		R-410A	208/230	3	60	23	160	D	--	--	--	--

Compressors, Chillers & Condensers

Compressors,
Chillers, Condensers

**HERMETIC
SCROLL
CARLYLE/DANFOSS**
R-410A, 50HZ



- High efficiency
- Low sound and vibration levels
- High reliability
- Compact and lightweight
- 50 Cycles
- R-410A
- AC/HP Duty

PART NO	BTUH	VOLTS	PH	RLA	LRA	DWG	RUN CAP MFD/VOLT	RUN CAP PART NO	ST CAP MFD/VOLT	ST CAP PART NO
XGE360HA	30800	220/240	1	17.3	97	A	70/370	P291-7013RS	145-175/330	P281-8806
XGH382HA	31900	380/415	3	7.7	50	A		--		--
XGH412HA	35100	380/415	3	7.7	50	B		--		--
XNE540HA	46200	220/240	1	25.6	130	C	55/440	P291-5504	88-108/330	P281-8806
XNE560HA	46600	220/240	1	25.6	130	C	55/440	P291-5504	88-108/330	P281-8806
XNH442HA	37300	380/415	3	8	55	C		--		--
XNH492HA	41700	380/415	3	8.6	60	C		--		--
XNH512HA	44300	380/415	3	8.3	70	C		--		--
XNH542HA	46000	380/415	3	8.3	70	C		--		--
XNH562HA	47700	380/415	3	9	70	C		--		--
XNH562HE	47700	380/415	3	9	70	D		--		--
XNY682AE	58200	200/220	3	23	160	D		--		--

Motors

Electrical

Heating
Components

Indoor Air
Quality

Thermostats

Oils &
Chemicals

Accessories, Supplies
& Commodities

Tools &
Instruments

Refrigeration