

# Thermostats

Compressors,  
Chillers, Condensers

Motors

Electrical

Heating  
Components

Indoor Air  
Quality

Thermostats

Oils &  
Chemicals

Accessories, Supplies  
& Commodities

Tools &  
Instruments

Refrigeration

## HONEYWELL Parts & Accessories

### Wireless Adapter Model THM4000R



#### Features:

- Wireless Adapter allows you to easily add RedLINK enabled thermostats to a TrueZONE system without running new wires
- Powered by RedLINK reliability
- No interference with other wireless devices in the home
- Communicates with Wireless Outdoor Sensor to automatically control humidity to proper levels
- Requirements: One adapter per zone control panel, HZ322 or HZ432 TrueZONE panel

Part Number	Color	Dimensions -HxWx D (In.)	Description
THM4000R1000	Gray	5-9/16 x 4-3/8 x 1-1/4	Wireless Adapter, RedLINK Enabled

### WireSaver Wiring Module Model THP9045A1007



#### Features:

- Wiring module that connects to "K" terminal on thermostat and separates into Y and G signals to equipment
- Can be used in conventional and heat pump systems requiring one wire more than is available

Part Number	Color	Description
THP9045A1007	Gray	WireSaver Wiring Module for Prestige Comfort Systems

## Honeywell Thermostats Programmable Thermostats Prestige HD - Comfort System Kit



### Model YTHX9321R5003

#### Features:

- Large, easy-to-read backlit display shows current indoor temperature and humidity, temperature setting, date and time on the home screen. Also displays outdoor temperature and humidity on home screen (if wireless outdoor sensor is installed)
- Adjustable backlight level allows thermostat to be on full brightness at all times or dim to the brightness level of choice when the thermostat is not being used
- Interview-Based Programming wizard to easily and confidently schedule thermostat temperatures and times
- USB Port allows downloading of installer settings to quickly and consistently perform setup of thermostats in similar applications
- USB Port also allows easy setup of dealer logo and contact information on thermostat screen
- Real-Time Clock keeps time during power failure; automatically updates for daylight saving time
- Precise Temperature Control (+/- 1°F) for reliable and consistent temperature
- Multiple HOLD options allows modification of schedule as needed
- Change Reminders to inform it is time to replace Air Filter, humidifier pad, ultraviolet bulb or batteries in connected devices
- RedLINK Enabled to communicate with compatible wireless devices

Part Number	Changeover	Color	Display Size (Sq. In.)	Remote Sensor	Description
YTHX9321R5003	Auto Or Manual	Arctic White	8.06	No	Arctic White Colored High Definition Touchscreen Thermostat With Portable Comfort Control, Wireless Outdoor Sensor

# Thermostats

## Honeywell Thermostats Programmable Thermostats Prestige HD - Comfort System Kit



Model YTHX9321R5012

Part Number	Changeover	Color	Display Size (Sq. In.)	Remote Sensor	Description
YTHX9321R5012	Auto Or Manual	Arctic White	8.06	No	Arctic White Colored High Definition Touchscreen Thermostat With Wireless Outdoor Sensor

## Prestige SD - Comfort System Kit Model YTHX9321R1011



Part Number	Changeover	Color	Display Size (Square Inch)	Remote Sensor	Description
YTHX9321R1011	Auto Or Manual	Arctic White	8.06	No	Arctic White Colored Standard Definition Touchscreen Thermostat w/ Wireless Outdoor Sensor

## Touchscreen Thermostats VisionPRO 8000 Programmable Thermostat



### Features:

- **Dehumidification:** The highly efficient dehumidifier utilizes refrigeration and internal air circulation to cool the incoming air stream below its dew point. Its compact size makes the ideal for tightly fit applications. After helping to cool the incoming air, the processed air is reheated by passing through the condenser coil. The heat removed by the evaporator Coil is returned to the air stream, resulting in an overall temperature increase to the processed air. The is controlled by a variety of 24 volt remote wired controls.
- **Fresh Air Ventilation:** Optional fresh outdoor air may be ducted via a tee off the 8-in. round duct. This provides fresh air to dilute pollutants and maintain normal oxygen content in the air. The amount of fresh air ventilation can be regulated by a variety of dampers and controls.
- **Air Filtration:** Includes air filtration to keep the condenser coils clean. A MERV-11 media filter is standard.
- **Filter Efficiency:** Standard MERV-11 (65% ASHRAE Dust Spot)

Part Number	Changeover	Color	Dimensions -H x W x D (In.)	Description
TB8220U1003	Manual or Auto Selectable	Premier White	4-9/16 x 6 x 1-3/8	Programmable Commercial Thermostat

Compressors,  
Chillers, Condensers

Motors

Electrical

Heating  
Components

Indoor Air  
Quality

Thermostats

Oils &  
Chemicals

Accessories, Supplies  
& Commodities

Tools &  
Instruments

Refrigeration

# Thermostats

Compressors, Chillers, Condensers  
Motors  
Electrical  
Heating Components  
Indoor Air Quality  
Thermostats  
Oils & Chemicals  
Accessories, Supplies & Commodities  
Tools & Instruments  
Refrigeration

## Honeywell Thermostats Programmable Thermostats Touchscreen Thermostats

### VisionPRO IQA - TH9421 Series



#### Features:

- Advanced dual-fuel control
- Three wires to the living space allows for easy equipment upgrade without having to run additional thermostat wire
- Thermostat connects with Equipment Interface Module or EnviraZONE panel to control temperature, humidification, dehumidification and ventilation from a single point in the home
- Automatically raises humidity levels throughout all rooms in the home, moisturizing air to prevent symptoms of dryness and to protect hardwood flooring and woodwork
- Removes air pollutants by exchanging the stale air in a house with fresh, filtered air better than having an open window
- Terminal Designations: 1, 2, 3
- Includes Humidification Control with or without Frost Protection, Dehumidification using Whole House Dehumidifier or Air Conditioning with High or Low speed fan, Advanced Patented Ventilation Control and Advanced Dual Fuel Heat Pump Control

Part Number	Changeover	Color	Dimensions -H x W x D (In)	Description
TH9421C1004	Auto/Manual Selectable	Premier White	4-9/16 x 6 x 1-1/4	7-Day Programmable Touchscreen Programmable

### VisionPRO IQA - THM5421 Series



#### Features:

- Advanced dual-fuel control
- Three wires to the living space allows for easy equipment upgrade without having to run additional thermostat wire
- Thermostat connects with Equipment Interface Module or EnviraZONE panel to control temperature, humidification, dehumidification and ventilation from a single point in the home
- Automatically raises humidity levels throughout all rooms in the home, moisturizing air to prevent symptoms of dryness and to protect hardwood flooring and woodwork
- Removes air pollutants by exchanging the stale air in a house with fresh, filtered air better than having an open window
- Includes Humidification Control with or without Frost Protection, Dehumidification using Whole House Dehumidifier or Air Conditioning with High or Low speed fan, Advanced Patented Ventilation Control and Advanced Dual Fuel Heat Pump Control

Part Number	Color	Cool Current	Dimensions -H x W x D (In)	Voltage	Description
THM5421C1008	Premier White	1.0 A Running	7-1/4 x 4-1/2 x 1-3/8	20 to 30 Vac	Touchscreen Thermostats, Equipment Interface Module for TH9000 Series

**Terminal Designations:** 1, 2, 3, C, R, Rc, Rh, R, W1-O/B, W2-Aux, W3-Aux2, Y, Y2, G, L, Out1, Out2, In1, In2, Dats1, Dats2, Hum1, Hum2, Dh1, Dh2, Vnt1, Vnt2

#### Optional:

- Outdoor Sensor
- Discharge Sensor
- Remote Sensor

# Thermostats

## Honeywell Thermostats Programmable Thermostats Touchscreen Thermostats

### VisionPRO IAQ - YTH9421 Series



#### Features:

- Advanced dual-fuel control
- Three wires to the living space allows for easy equipment upgrade without having to run additional thermostat wire
- Thermostat connects with Equipment Interface Module or EnviraZONE panel to control temperature, humidification, dehumidification and ventilation from a single point in the home
- Automatically raises humidity levels throughout all rooms in the home, moisturizing air to prevent symptoms of dryness and to protect hardwood flooring and woodwork
- Removes air pollutants by exchanging the stale air in a house with fresh, filtered air better than having an open window
- Humidification Control with or without Frost Protection, Dehumidification using Whole House Dehumidifier or Air Conditioning with High or Low speed fan, Advanced Patented Ventilation Control and Advanced Dual Fuel Heat Pump Control

Part Number	Changeover	Color	Dimensions - H x W x D (In.)	Voltage	Description
YTH9421C1002	Auto/Manual Selectable	Premier White	4-9/16 x 6 x 1-1/4	20 to 30 Vac	Up to 4 Heat/2 Cool Touchscreen Universal Thermostat
YTH9421C1010	Auto/Manual Selectable	Premier White	4-9/16 x 6 x 1-1/4	20 to 30 Vac	Up to 4 Heat/2 Cool Touchscreen Universal Thermostat with Outdoor Temperature Sensor

**Terminal Designations:** 1, 2, 3, C, R, Rc, Rh, R, W1-O/B, W2-Aux, W3-Aux2, Y, Y2, G, L, Out1, Out2, In1, In2, Dats1, Dats2, Hum1, Hum2, Dh1, Dh2, Vnt1, Vnt2

#### YTH9421C1010

##### Optional:

- Discharge Sensor
- Remote Sensor

#### YTH9421C1002

##### Optional:

- Outdoor Sensor
- Discharge Sensor
- Remote Sensor

### Prestige HD - Comfort System Programmable Thermostats



Model THX9321R5000

#### Features:

- Large, easy-to-read backlit full color display shows current indoor temperature and humidity, temperature setting, date and time on the home screen. Also displays outdoor temperature and humidity on home screen (if wireless outdoor sensor is installed)
- Adjustable backlight level allows thermostat to be on full brightness at all times or dim to the brightness level of choice when the thermostat is not being used
- Interview-Based Programming wizard to easily and confidently schedule thermostat temperatures and times
- USB Port allows downloading of installer settings to quickly and consistently perform setup of thermostats in similar applications
- USB Port also allows easy setup of dealer logo and contact information on thermostat screen
- Real-Time Clock keeps time during power failure; automatically updates for daylight saving time
- Precise Temperature Control (+/- 1°F) for reliable and consistent temperature.
- Multiple HOLD options allows modification of schedule as needed
- Change Reminders to inform it is time to replace Air Filter, humidifier pad, ultraviolet bulb or batteries in connected devices
- RedLINK Enabled to communicate with compatible wireless devices
- Kit Includes Portable Comfort Control, Wireless Outdoor Sensor and Prestige HD Thermostat

Part Number	Changeover	Color	Dimensions -H x W x D (In.)	Voltage	Description
THX9321R5000	Auto or Manual	Arctic White	3-15/16 x 6-7/8 x 1-1/2	18 to 30 Vac	Prestige High Definition Graphical Color Touchscreen Display Thermostat

## Honeywell Thermostats Programmable Thermostats Touchscreen Thermostats



Model THX9321R1008

### Features:

- Large, easy-to-read backlit display shows current indoor temperature and humidity, temperature setting, date and time on the home screen. Also displays outdoor temperature and humidity on home screen (if wireless outdoor sensor is installed)
- Adjustable backlight level allows thermostat to be on full brightness at all times or dim to the brightness level of choice when the thermostat is not being used
- Interview-Based Programming wizard to easily and confidently schedule thermostat temperatures and times
- USB Port allows downloading of installer settings to quickly and consistently perform setup of thermostats in similar applications
- USB Port also allows easy setup of dealer logo and contact information on thermostat screen
- Real-Time Clock keeps time during power failure; automatically updates for daylight saving time
- Precise Temperature Control (+/- 1°F) for reliable and consistent temperature.
- Multiple HOLD options allows modification of schedule as needed
- Change Reminders to inform it is time to replace Air Filter, humidifier pad, ultraviolet bulb or batteries in connected devices
- RedLINK Enabled to communicate with compatible wireless devices
- Kits Include Wireless Outdoor Sensor and Prestige SD Thermostat. Some Kits include a Portable Comfort Control.
- Tri-Lingual Display (selectable for English, French or Spanish)

### Application:

- Up to 3 Heat/2 Cool Heat Pumps
- Up to 2 Heat/2 Cool Conventional Systems

Part Number	Changeover	Color	Dimensions -High x Wide x Deep (Inch)	Voltage	Description
THX9321R1008	Auto or Manual	Arctic White	3-15/16 x 6-7/8 x 1-1/2	18 to 30 Vac	Prestige Standard Definition Graphical Touchscreen Display Thermostat

## Wireless Thermostats

### FocusPRO Non-Programmable Thermostat



Model TH5320R1002

### Features:

- Easily add a zone to a TrueZONE system without running new wires. Choose from programmable or non-programmable
- Powered by RedLINK reliability
- No interference with other wireless devices in the home
- Works with compatible RedLINK enabled devices
- Same great features of the FocusPRO thermostat now wireless
- Installs in minutes
- Can display outdoor temperature and humidity
- 1 year battery life
- 2 month low battery warning
- Dual Fuel enabled - requires THM5320R1000 Equipment Interface Module and C7089R1013 Wireless Outdoor Sensor

Part Number	Changeover	Color	Dimensions x W x D (In)	H	Sensor Element	Description
TH5320R1002	Auto/Manual Selectable	Premier White	3-9/16 x 5-13/16 x 1-1/2		Thermistor	Wireless Non-Programmable