


ELECTRICAL

METAL CAN RUN CAPACITOR- DUAL ROUND- 370VAC CONT.

HCKY450D030R370Z	45+3	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY450D050R370Z	45+5	370	1.97	50	2.07	52.6	3.54	90	4.01	101.9
HCKY450D060R370Z	45+6	370	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY450D075R370Z	45+7.5	370	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY450D100R370Z	45+10	370	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY500D030R370Z	50+3	370	1.97	50	2.07	52.6	4.92	125	5.39	136.9
HCKY500D050R370Z	50+5	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY500D060R370Z	50+6	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY500D075R370Z	50+7.5	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY500D100R370Z	50+10	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY550D050R370Z	55+5	370	1.97	50	2.07	52.6	4.92	4.92	5.39	136.9
HCKY550D075R370Z	55+7.5	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY600D050R370Z	60+5	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY600D075R370Z	60+7.5	370	1.97	50	2.07	52.6	4.92	125	5.39	136.9
HCKY600D100R370Z	60+10	370	1.97	50	2.07	52.6	4.92	125	5.39	136.9
HCKY700D050R370Z	70+5							125	5.39	136.9
HCKY800D050R370	80+5	370	2.36	60	2.46	62.5	4.92	100	4.41	112
HCKY800D075R370Z	80+7.5	370	2.36	60	2.46	62.5	3.94	110	4.8	121.9
HCKY800D100R370Z	80+10	370	2.17	55	2.27	57.6	4.33	125	5.39	136.9

ELECTRICAL




ELECTRICAL

METAL CAN RUN CAPACITOR- DUAL ROUND- 440VAC

HCK PART#	MFD	VOLTS	DIM (d)		DIM (D)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm
HCKY100D050R440Z	10+5	440	1.97	50	2.07	52.6	2.56	68	3.03	77
HCKY150D050R440Z	15+5	440	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY200D050R440Z	20+5	440	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY200D150R440Z	20+15	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY250D050R440Z	25+5	440	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY250D075R440Z	25+7.5	440	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY250D100R440Z	25+10	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY250D150R440Z	25+15	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY300D050R440Z	30+5	440	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY300D075R440Z	30+7.5	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY350D050R440Z	35+5	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY350D075R440Z	35+7.5	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY350D100R440Z	35+10	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY400D050R440Z	40+5	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY400D075R440Z	40+7.5	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY400D100R440Z	40+10	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY450D050R440Z	45+5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY450D750R440Z	45+7.5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY450D100R440Z	45+10	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY500D050R440Z	50+5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY500D075R440Z	50+7.5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY500D100R440Z	50+10	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY550D040R440Z	55+4	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY550D050R440Z	55+5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY550D075R440Z	55+7.5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY550D100R440Z	55+10	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY600D050R440Z	60+5	440	2.36	60	2.462	62.5	3.94	100	4.41	112
HCKY600D075R440Z	60+7.5	440	2.36	60	2.462	62.5	4.33	110	4.8	121.9
HCKY600D100R440Z	60+10	440	2.36	60	2.462	62.5	4.92	125	5.39	136.9
HCKY700D050R440Z	70+5	440	2.36	60	2.462	62.5	4.92	125	5.39	136.9
HCKY700D100R440Z	70+10	440	2.36	60	2.462	62.5	4.92	125	5.39	136.9
HCKY800D050R440Z	80+5	440	2.36	60	2.462	62.5	4.92	125	5.39	136.9

ELECTRICAL




ELECTRICAL

METAL CAN RUN CAPACITOR- DUAL OVAL- 440VAC

ELECTRICAL


HCK PART#	MFD	VOLTS	DIM (l)		DIM (L)		DIM (b)		DIM (B)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
HCKY150D050V440Z	15+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.15	80	3.62	91.9
HCKY200D050V440Z	20+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.54	90	4.01	101.9
HCKY200D150V440Z	20+15	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.94	100	4.41	111.9
HCKY250D050V440Z	25+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.54	90	4.01	101.9
HCKY250D075V440Z	25+7.5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.13	105	4.6	116.9
HCKY250D100V440Z	25+10	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.54	90	4.01	101.9
HCKY300D040V440Z	30+4	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.13	105	4.6	116.9
HCKY300D050V440Z	30+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.13	105	4.6	116.9
HCKY300D075V440Z	30+7.5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY300D100V440Z	30+10	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY350D030V440Z	35+3	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY350D040V440Z	35+4	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY350D050V440Z	35+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY350D075V440Z	35+7.5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.53	115	5	126.9
HCKY350D085V440Z	35+8.5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.33	110	4.8	121.9
HCKY350D100V440Z	35+10	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.33	110	4.8	121.9
HCKY400D030V440Z	40+3	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.92	125	5.39	136.9
HCKY400D050V440Z	40+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	3.94	100	4.41	111.9
HCKY400D075V440Z	40+7.5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	5.12	130	5.59	142
HCKY400D100V440Z	40+10	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.13	105	4.6	116.9
HCKY450D050V440Z	45+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.92	125	5.39	136.9
HCKY450D075V440Z	45+7.5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.13	105	4.6	116.9
HCKY500D050V440Z	50+5	440	2.8	71	2.9	73.5	1.77	45	1.87	47.5	4.92	125	5.39	136.9
HCKY500D075V440Z	50+7.5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.13	105	4.6	116.9
HCKY500D100V440Z	50+10	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.13	105	4.6	116.9
HCKY550D050V440Z	55+5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY550D075V440Z	55+7.5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY550D100V440Z	55+10	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY600D050V440Z	60+5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY600D075V440Z	60+7.5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY600D100V440Z	60+10	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY650D050V440Z	65+5	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9
HCKY650D100V440Z	65+10	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.4	4.53	115	5	126.9



ELECTRICAL

METAL CAN RUN CAPACITOR- DUAL OVAL- 440VAC

HCK PART#	MFD	VOLTS	DIM (l)		DIM (L)		DIM (b)		DIM (B)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
HKCY020V370Z	2	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY030V370Z	3	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY035V370Z	3.5	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY040V370Z	4	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY050V370Z	5	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY060V370Z	6	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY070V370Z	7	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY075V370Z	7.5	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY080V370Z	8	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HKCY100V370Z	10	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HKCY110V370Z	11	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HKCY120V370Z	12	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HKCY125V370Z	12.5	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HKCY150V370Z	15	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HKCY175V370Z	17.5	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	3.35	85	3.82	97
HKCY200V370Z	20	370	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	3.35	85	3.82	97
HKCY250V370Z	25	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HKCY300V370Z	30	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HKCY350V370Z	35	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HKCY400V370Z	40	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	3.35	85	3.82	97
HKCY450V370Z	45	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	3.94	100	4.41	112
HKCY500V370Z	50	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	3.94	100	4.41	112
HKCY550V370Z	55	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	4.33	110	4.8	121.9
HKCY600V370Z	60	370	2.8	71	2.9	73.6	1.77	45	1.87	47.5	4.33	110	4.8	121.9
HKCY650V370Z	65	370	3.54	90	3.64	92.5	1.89	47.9	1.985	50.4	3.35	85	3.82	97
HKCY700V370Z	70	370	3.54	90	3.64	92.5	1.89	47.9	1.985	50.4	3.35	85	3.82	97
HKCY750V370Z	75	370	3.54	90	3.64	92.5	1.89	47.9	1.985	50.4	3.86	98	4.33	110
HKCY800V370Z	80	370	3.54	90	3.64	92.5	1.89	47.9	1.985	50.4	3.86	98	4.33	110
HKCY850V370Z	85	370	3.54	90	3.64	92.5	1.89	47.9	1.985	50.4	3.86	98	4.33	110




ELECTRICAL

ELECTRICAL

METAL CAN RUN CAPACITOR- SINGLE OVAL- 440VAC

ELECTRICAL

HCK PART#	MFD	VOLTS	DIM (I)		DIM (L)		DIM (b)		DIM (B)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm
HCKY010V440Z	1	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY015V440Z	1.5	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY020V440Z	2	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY025V440Z	2.5	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY030V440Z	3	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY040V440Z	4	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY050V440Z	5	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY060V440Z	6	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY075V440Z	7.5	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.17	55	2.64	67
HCKY100V440Z	10	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HCKY125V440Z	12.5	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HCKY150V440Z	15	440	2.03	51.5	2.13	54.1	1.24	31.5	1.34	34	2.95	75	3.42	86.9
HCKY175V440Z	17.5	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HCKY200V440Z	20	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HCKY250V440Z	25	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	75	3.42	86.9
HCKY300V440Z	30	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	85	3.82	97
HCKY350V440Z	35	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	100	4.41	112
HCKY400V440Z	40	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	110	4.8	121.9
HCKY450V440Z	45	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	110	4.8	121.9
HCKY500V440Z	50	440	2.8	71	2.9	73.6	1.77	45	1.87	47.5	2.95	125	5.39	136.9
HCKY550V440Z	55	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.5	3.54	90	4.01	101.9
HCKY600V440Z	60	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.5	3.86	98	4.33	110
HCKY700V440Z	70	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.5	4.33	110	4.8	121.9
HCKY750V440Z	75	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.5	4.33	110	4.8	121.9
HCKY800V440Z	80	440	3.54	90	3.64	92.5	1.89	47.9	1.99	50.5	4.33	110	4.8	121.9




ELECTRICAL

METAL CAN RUN CAPACITOR- SINGLE ROUND- 370VAC

HCK PART#	MFD	VOLTS	DIM (d)		DIM (D)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm
HCKY020R370Z	2	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY025R370Z	2.5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY030R370Z	3	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY035R370Z	3.5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY040R370Z	4	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY050R370Z	5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY060R370Z	6	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY075R370Z	7.5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY080R370Z	8	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY100R370Z	10	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY125R370Z	12.5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY150R370Z	15	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY175R370Z	17.5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY200R370Z	20	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY224R370Z	22.4	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY230R370Z	23	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY250R370Z	25	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY275R370Z	27.5	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY300R370Z	30	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350R370Z	35	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY360R370Z	36	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY400R370Z	40	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY450R370Z	45	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY500R370Z	50	370	1.97	50	2.07	52.6	3.54	90	4.01	101.9
HCKY550R370Z	55	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY600R370Z	60	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY650R370Z	65	370	2.36	59.9	2.46	62.5	3.94	100	4.41	111.9
HCKY850R370Z	85	370	2.36	59.9	2.46	62.5	3.94	100	4.41	111.9


ELECTRICAL



ELECTRICAL

METAL CAN RUN CAPACITOR- SINGLE ROUND- 440VAC

HCK PART#	MFD	VOLTS	DIM (d)		DIM (D)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm
HCKY015R440Z	1.5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY025R440Z	2.5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY030R440Z	3	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY035R440Z	3.5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY040R440Z	4	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY050R440Z	5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY060R440Z	7.5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY100R440Z	10	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY125R440Z	12.5	440	1.97	50	2.07	52.6	2.17	55	2.64	67.1
HCKY150R440Z	15	440	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY200R440Z	20	440	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY250R440Z	25	440	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY300R440Z	30	440	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350R440Z	35	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY360R440Z	36	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY400R440Z	40	440	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY450R440Z	45	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY500R440Z	50	440	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY550R440Z	55	440	2.36	60	2.46	62.5	3.74	95	4.21	106.9
HCKY600R440Z	60	440	2.36	60	2.46	62.5	3.94	100	4.41	112
HCKY700R440Z	70	440	2.36	60	2.46	62.5	4.92	125	5.39	136.9
HCKY750R440Z	75	440	2.36	60	2.46	62.5	4.92	125	5.39	136.9
HCKY800R440Z	80	440	2.36	60	2.46	62.5	4.92	125	5.39	136.9



ELECTRICAL

ELECTRICAL

METAL CAN RUN CAPACITOR- DUAL ROUND- 370VAC

HCK PART#	MFD	VOLTS	DIM (d)		DIM (D)		DIM (H)		DIM (HT)	
			in.	mm	in.	mm	in.	mm	in.	mm
HCKY150D030R370Z	15+3	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY150D040R370Z	15+4	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY150D050R370Z	15+5	370	1.97	50	2.07	52.6	2.17	55	2.64	67
HCKY150D100R370Z	15+10	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY200D050R370Z	20+5	370	1.97	50	2.07	52.6	2.56	65	3.03	77
HCKY200D1000R370Z	20+10	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY200D150R370Z	20+15	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY250D030R370Z	25+3	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY250D040R370Z	25+4	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY250D050R370Z	25+5	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY250D075R370Z	25+7.5	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY250D100R370Z	25+10	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY300D030R370Z	30+3	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY300D040R370Z	30+4	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY300D050R370Z	30+5	370	1.97	50	2.07	52.6	2.95	75	3.42	86.9
HCKY300D075R370Z	30+7.5	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350D030R370Z	35+3	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350D040R370Z	35+4	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350D050R370Z	35+5	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350D060R370Z	35+6	370	1.97	50	2.07	52.6	3.35	85	9.82	97
HCKY350D075R370Z	35+7.5	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY350D100R370Z	35+10	370	1.97	50	2.07	52.6	3.94	100	4.41	112
HCKY400D030R370Z	40+3	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY400D040R370Z	40+4	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY400D050R370Z	40+5	370	1.97	50	2.07	52.6	3.35	85	3.82	97
HCKY400D060R370Z	40+6	370	1.97	50	2.07	52.6	4.33	110	4.8	121.9
HCKY400D075R370Z	40+7.5	370	1.97	50	2.07	52.6	3.54	90	4.01	101.9
HCKY400D100R370Z	40+10	370	1.97	50	2.07	52.6	3.94	100	4.41	112

ELECTRICAL