

INDOOR AIR QUALITY

TOTALINE® MECHANICAL FILTERS

TOTALINE® GOLD ELECTROSTATIC MECHANICAL FILTERS



High Efficiency media retrofit air cleaners

The Totaline Gold premium line of Charged-Media Air Cleaners uses a new technology in air filtration that yields a high initial efficiency and maintains high efficiency over the life of the filter. Lower initial static pressure drop and longer service life than most other types of media filters on the market. Plus a Perfect Fit Filter allows no air gaps. Upgrades to a High Efficiency Electronic Air Cleaner.

STANDARD FEATURES

- High Efficiency MERV 11 Filter removes atmospheric and household dust, coal and insecticide dust, mites, pollen, tobacco smoke, cooking smoke and grease, mold, fungi and more, down to 0.3 micron.
- Easy to change filter. No fussing with complicated combs or brackets.
- Reversible air flow. Mounts in any position.
- No electrical hook up required.
- Quiet operation.
- Galvanized heavy duty steel cabinet for solid horizontal or vertical installations.
- Durable scratch resistant powder coat paint finish.
- Contains a built-in contact tray for Electronic Air Cleaner.
- Upgrades to a Totaline Gold High Efficiency Electronic Air Cleaner.

OPTIONS AVAILABLE



- Activated Carbon After Filters help remove odors.

LIMITED WARRANTY

- Limited lifetime warranty (filter not included).

SPECIFICATIONS:

MODEL	P102-MF12	P102-MF14A	P102-MF14B	P102-MF20
UNIT WEIGHT	17 lb 7.7 kg	18 lb 8.2 kg	19 lb 8.6 kg	20 lb 9.1 kg
HOUSE SIZE	<2400 ft ² <222.95 m ²	<3000 ft ² <278.70 m ²	<3000 ft ² <278.70 m ²	>3000 ft ² >278.80 m ²
AIRFLOW	up to 1200 CFM up to 2039 m ³ /hr	up to 1400 CFM up to 2379 m ³ /hr	up to 1400 CFM up to 2379 m ³ /hr	up to 2000 CFM up to 3398 m ³ /hr
DUCT SIZE	16 x 20 in. 40.5 x 51 cm	16 x 25 in. 40.5 x 63.5 cm	20 x 25 in. 51 x 63.6 cm	20 x 25 in. 51 x 63.5 cm
PRESSURE DROP	.066 (in./wg) @600 CFM .22 (in./wg) @1400 CFM	.097 (in./wg) @700 CFM .22 (in./wg) @1400 CFM	.067 (in./wg) @700 CFM .22 (in./wg) @1400 CFM	.067 (in./wg) @1000 CFM .22 (in./wg) @2000 CFM



DIMENSIONS

UNIT	A	B	C	D	E	F	G
P102-MF12	17 (43.5)	23-1/4 (59)	13-1/8 (33.5)	20-3/4 (53)	1-1/4 (3)	23-3/4 (60.5)	2-3/8 (6)
P102-MF14A	17 (43.5)	26 (66)	13-5/8 (34.5)	24 (61)	1 (2.5)	26-1/2 (67.5)	2-1/8 (5.5)
P102-MF14B	22 (56)	21-1/4 (54)	18 (46)	18-3/4 (48)	1-1/4 (3)	21-3/4 (55)	2-3/8 (6)
P102-MF20	22 (56)	26 (66)	18 (46)	23-1/2 (59.5)	1-1/4 (3)	26-1/2 (67.5)	2-3/8 (6)

ACCESSORIES

ACTIVATED CARBON FILTERS (3 PACK)

PART NO	FITS MODEL	DIMENSIONS
P102-1156	P102-MF12, P102-MF14A, P102-12, P102-14A	15-1/8 X 5 in
P102-1856	P102-MF14B, P102-MF20, P102-14B, P102-20	20 in. X 5 in

MEDIA REPLACEMENT (3 PACK)

PART NO	FITS MODEL
P102-1620	P102-MF12, P102-NC12, P102-BB12
P102-1625	P102-MF14A, P102-NC14A, P102-BB14A
P102-2020	P102-MF14B, P102-NC14B, P102-BB14B
P102-2025	P102-MF20, P102-NC20, P102-BB20, P102-RAM200



UPGRADE KIT TO TOTALINE GOLD EAC

PART NO	UPGRADE TO	INCLUDES
P102-UK12	P102-12	(2) Prefilters (2) Collecting Cells (1) Power Box
P102-UK14A	P102-14A	(2) Prefilters (2) Collecting Cells (1) Power Box
P102-UK14B	P102-14B	(2) Prefilters (2) Collecting Cells (1) Power Box
P102-UK20	P102-20	(2) Prefilters (2) Collecting Cells (1) Power Box

INDOOR AIR QUALITY

INDOOR AIR QUALITY

TOTALINE® MECHANICAL FILTERS RIGHT ANGLE MEDIA AIR CLEANER



P4371A

High Efficiency - Right Angle Media air cleaner (RAM)

The Totaline Gold High Efficiency Right Angle Media Air Cleaner (RAM) is a space saving design for vertical installations. Eliminates the need for a 90° duct adapter, as it works as a turning vane providing even distribution across the media filter. Filter has a high initial efficiency and maintains high efficiency over the life of the filter. Lower initial static pressure drop and longer service life than most other types of media filters on the market. Plus a Perfect Fit Filter allows no air gaps.

STANDARD FEATURES

- Reduces installation space by 6" – 8"
- Adjustable inlet duct opening replaces need for field forming transition, significantly reducing installation time.
- High Efficiency MERV 11 Filter removes atmospheric and household dust, coal and insecticide dust, mites, pollen, tobacco smoke, cooking smoke and grease, mold, fungi and more, down to 0.3 micron.
- Easy to change filter. No fussing with complicated combs or brackets.
- Two access doors allow versatile installation and easy maintenance.
- No maintenance except for filter replacement.
- No electrical hook up required.
- Quiet operation.
- Galvanized heavy duty steel cabinet and powder coat paint finish on doors.

LIMITED WARRANTY

- Lifetime Limited Warranty on parts (filter not included)


LOCATION:

The Air Cleaner is adaptable to most High-Boy residential forced air furnaces or cooling systems. The Air Cleaner must be installed in the return air duct next to the blower compartment. This location provides the most even air flow across the filter and allows the Air Cleaner to keep the system motor and fan clean.

PART NO

P102-RAM200

TOTALINE® Gold HIGH EFFICIENCY MEDIA AIR CLEANERS



NEW CONSTRUCTION MEDIA AIR CLEANERS

This *new* line of Totaline Gold Media Air Cleaners is ideal for new construction projects. Sturdy galvanized steel cabinet and powder coat painted snap-on door, offers a nicely finished product at a low price. Easy to replace with a Totaline Gold High Efficiency Electronic Air Cleaner.

STANDARD FEATURES

- High Efficiency MERV 11 Filter removes atmospheric and household dust, coal and insecticide dust, mites, pollen, tobacco smoke, cooking smoke and grease, mold, fungi and more, down to 0.3 micron.
- Perfect Fit Filter allows no air gaps.
- Easy to change filter. No fussing with complicated combs or brackets.
- Reversible air flow. Mounts in any position.
- No electrical hook up required.
- Quiet operation.
- Galvanized heavy duty steel cabinet for solid horizontal or vertical installations.
- Snap-On Door has powder coat paint finish.
- Easy to replace with a High Efficiency Electronic Air Cleaner.

LIMITED WARRANTY

- 1-year parts only warranty (filter not included).

PART NO	G
P102-NC12	16 x 20
P102-NC14A	16 x 25
P102-NC14B	20 x 20
P102-NC20	20 x 25

MEDIA REPLACEMENT (3 PACK)

PART NO	FITS MODEL
P102-1620	P102-NC12, P102-BB12, P102-MF14A
P102-1625	P102-BB14A, P102-NC14A, P102-MF14A
P102-2020	P102-BB20, P102-NC14B, P102-MF14B
P102-2025	P102-N20, P102-BB20, P102-MF20, P102-RAM200

INDOOR AIR QUALITY

TOTALINE® MECHANICAL FILTERS


TOTALINE® SIGNATURE MECHANICAL FILTERS

Totaline® Signature Series Mechanical Filters are much more efficient than ordinary furnace filters. They utilize a highly efficient, electro statically-charged, synthetic material with extended surface pleats and an omni directional airflow design which allows for maximum dust holding capacity while not obstructing airflow.

FEATURES:

- Available in 16" x 25" (1400 cfm), 20" x 20" (1400 cfm), and 20" x 25" (2000 cfm) sizes. Offering dealers a variety of optional applications.
- 10-year limited warranty on the cabinet.
- No electrical hook-up. MERV 8 filter.

DIMENSIONS



P4426a



P4426

SPECIFICATIONS

MODEL	P101-MF14	P101-MF16	P101-MF20
UNIT WEIGHT	15 lb (6.80 kg)	19 lb (8.62 kg)	20 lb (9.07 kg)
AIRFLOW	up to 1400 CFM up to 2079 m ³ /hr	up to 1400 CFM up to 2379 m ³ /hr	up to 2000 CFM up to 3398 m ³ /hr
DUCT SIZE	13.875 x 22.5 in. (352 x 572 mm)	17.875 x 19 in. 454 x 483 mm	17.875 x 22.5 in. (454 x 572 mm)
MEDIA SIZE (D x H x L)	5 x 16 x 24.25 in. (127 x 406 x 616 mm)	5 x 20 x 20.75 in. (127 x 508 x 527 mm)	5 x 20 x 24.25 in. (127 x 508 x 616 mm)

MODEL	A	B	C	D	E
P101-MF14	7.125 in. (181 mm)	24.875 in. (632 mm)	16.25 in. (413 mm)	22.5 in. (572 mm)	13.875 in. (352 mm)
P102-MF16	7.125 in. (181 mm)	21.375 in. (543 mm)	20.25 in. (514 mm)	19 in. (483 mm)	17.875 in. (454 mm)
P102-MF20	7.125 in. (181 mm)	24.875 in. (632 mm)	20.25 in. (514 mm)	22.5 in. (572 mm)	17.875 in. (454 mm)

NOTE: Totaline® Signature Series Mechanical Filters have been tested using ANSI/ASHRAE 52.2-1999 standard test procedures.

PRESSURE DROP

PART NO	PRESSURE DROP
P101-MF14	.04 (in./wg) @ 600 cfm
P101-MF14	.24 (in./wg) @ 1400 cfm
P101-MF16	.04 (in./wg) @ 600 cfm
P101-MF16	.24 (in./wg) @ 1400 cfm
P101-MF20	.03 (in./wg) @ 600 CFM
P101-MF20	.27 (in./wg) @ 2000 CFM

Pressure drop is not based on the use of carbon filters.

MEDIA REPLACEMENT (3-pack)

PART NO	FITS MODEL
P101-1625	P101-MF12 (N/A)
P101-1625-5	P101-MF14
P101-2020	P101-MF16
P101-2025	P101-MF20

INDOOR AIR QUALITY

Totaline Star Series CG1000EAC

1" Electronic Air Cleaner Fancoil Product Matrix

The Totaline® Star SERIES CG1000 is a safe and simple electronic process, operated with 24 volts! It works by creating a polarized (electric) charge on the media pads. The electric charge enables the media pads to capture and remove airborne particles as small as .01 microns.

Features:

- MERV 10 @ 295 fpm
- Produces no hazardous ozone
- Produces no positive ions
- Fully electronic, highly reliable
- Easy to maintain
- Increases equipment efficiency
- Satisfaction guaranteed
- 5 year warranty
- UL and CSA Certified



***New 5-Year
Warranty***

Effectiveness		
Airborne Pollutants	Actual Micron Particle Size Range	A Proportionate Particle Size Comparison
Human Hair	35-200 microns	
Pollen	10-100 microns	
Spores	10-35 microns	
Bacteria	3-35 microns	
Animal Dander	3-10 microns	
Lung Damaging Dust	.5-5 microns	
Smoke	.01-1 microns	

Information Source: American Industrial Hygiene Association

Specifications

- Efficiency: Down to 1 micron
- Pressure drop: 0.18 in W.G.
- Voltage: 24 volts
- Voltage range: 8V min. to 30V max.
- Input: Floating
- Consumption: 1 watt
- Amp. draw: 0.068VA

INDOOR AIR QUALITY

INDOOR AIR QUALITY

Totaline® Star Series CG1000 1" Electronic Air Cleaners

Fancoil Product Matrix For Carrier AHU Models..

CARRIER AHU MODEL# FV4A-	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 005	UNIT SIZE 006	
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1621C	P101-2021C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1621M	P101-2021M	P101-2021M	P101-2123M	
CARRIER AHU MODEL# FV1A-	UNIT SIZE 030	UNIT SIZE 036	UNIT SIZE 042	UNIT SIZE 046	UNIT SIZE 060
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"
TOTALINE STAR 1" EAC	P101-1621C	P101-2021C	P101-2021C	P101-2021C	P101-2123C
REPLACEMENT MEDIA	P101-1621M	P101-2021M	P101-2021M	P101-2021M	P101-2123M
CARRIER AHU MODEL# FV1C-	UNIT SIZE 001	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 005	UNIT SIZE 006
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"
TOTALINE STAR 1" EAC	P101-1621C	P101-1621C	P101-2021C	P101-2021C	P101-2123C
REPLACEMENT MEDIA	P101-1621M	P101-1621M	P101-2021M	P101-2021M	P101-2123M
CARRIER AHU MODEL# 40FKA-	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 005	UNIT SIZE 006	
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1621C	P101-2021C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1621M	P101-2021M	P101-2021M	P101-2123M	
CARRIER AHU MODEL# FC4B-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 048, 038, 060	UNIT SIZE 064	
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M	
CARRIER AHU MODEL# FB1A-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 048, 038, 060	UNIT SIZE 054, 070	
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M	
CARRIER AHU MODEL# FA1A-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 048, 038, 060	UNIT SIZE 054, 070	
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M	
CARRIER AHU MODEL# FC3A-	UNIT SIZE 024	UNIT SIZE 036	UNIT SIZE 048	UNIT SIZE 060	
FILTER SIZE	16" x 25"	18" x 25"	16" x 20" (2)	16" x 20" (2)	
TOTALINE STAR 1" EAC	P101-1625C	P101-1625C	P101-1620C (2)	P101-1620C (2)	
REPLACEMENT MEDIA	P101-1625M	P101-1625M	P101-1625M (2)	P101-1625M (2)	
CARRIER AHU MODEL# FH1A-	UNIT SIZE 001	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 004	
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2021C	
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2021M	

Note: Dimensions in inches.

1" Custom sizes available in nominal, exact and oversized. Also available in 2" thickness for commercial applications.

INDOOR AIR QUALITY

INDOOR AIR QUALITY

Totaline® Star Series CG1000 1" Electronic Air Cleaners

Fancoil Product Matrix For Bryant AHU Models..

BRYANT AHU MODEL# FV4A-	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 005	UNIT SIZE 006		
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"		
TOTALINE STAR 1" EAC	P101-1621C	P101-2021C	P101-2021C	P101-2123C		
REPLACEMENT MEDIA	P101-1621M	P101-2021M	P101-2021M	P101-2123M		
BRYANT AHU MODEL# FX4A-	UNIT SIZE 018	UNIT SIZE 030	UNIT SIZE 036	UNIT SIZE 042	UNIT SIZE 046	UNIT SIZE 060
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2021C	P101-2021C	P101-2123C
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2021M	P101-2021M	P101-2123M
BRYANT AHU MODEL# FV4C-	UNIT SIZE 001	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 005	UNIT SIZE 006	
FILTER SIZE	21-1/2" x 16-3/8"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"	
TOTALINE STAR 1" EAC	P101-1621C	P101-1621C	P101-2021C	P101-2021C	P101-2123C	
REPLACEMENT MEDIA	P101-1621M	P101-1621M	P101-2021M	P101-2021M	P101-2123M	
BRYANT AHU MODEL# FC4B-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 046, 036, 060	UNIT SIZE 054		
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"		
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C		
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M		
BRYANT AHU MODEL# FB4A-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 046, 036, 060	UNIT SIZE 054, 070		
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"		
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C		
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M		
BRYANT AHU MODEL# FA4A-	UNIT SIZE 018, 024	UNIT SIZE 030, 036	UNIT SIZE 042, 046, 036, 060	UNIT SIZE 054, 070		
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"		
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C		
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M		
BRYANT AHU MODEL# FG3A-	UNIT SIZE 024	UNIT SIZE 036	UNIT SIZE 048	UNIT SIZE 060		
FILTER SIZE	16" x 25"	18" x 25"	16" x 20" (2)	16" x 20" (2)		
TOTALINE STAR 1" EAC	P101-1625C	P101-1625C	P101-1620C (2)	P101-1620C (2)		
REPLACEMENT MEDIA	P101-1625M	P101-1625M	P101-1625M (2)	P101-1625M (2)		
BRYANT AHU MODEL# FH4A-	UNIT SIZE 001	UNIT SIZE 002	UNIT SIZE 003	UNIT SIZE 004		
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 19-7/8"		
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2021C		
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2021M		

INDOOR AIR QUALITY

Fancoil Product Matrix For Payne AHU Models..

PAYNE AHU MODEL# PF1MNA	UNIT SIZE 018, 024	UNIT SIZE 036, 036	UNIT SIZE 042, 046, 060	UNIT SIZE 070, 071
FILTER SIZE	21-1/2" x 13"	21-1/2" x 16-3/8"	21-1/2" x 19-7/8"	21-1/2" x 23-5/16"
TOTALINE STAR 1" EAC	P101-1321C	P101-1621C	P101-2021C	P101-2123C
REPLACEMENT MEDIA	P101-1321M	P101-1621M	P101-2021M	P101-2123M

Totaline® Star Series CG1000

Totaline® Star Series CG1000 1" Electronic Air Cleaners

Part Numbers (Dimensions in nominal inches)

EAC PN	Media PN	Actual Dimensions
P101-1224C	P101-1224M	11 1/4" x 23 3/4"
P101-1420C	P101-1420M	13 1/4" x 19 1/4"
P101-1424C	P101-1424M	13 1/4" x 23 1/4"
P101-1425C	P101-1425M	13 1/4" x 24 1/4"
P101-1430C	P101-1430M	13 1/4" x 29 1/4"
P101-1520C	P101-1520M	14 1/4" x 19 1/4"
P101-1616C	P101-1616M	15 1/4" x 15 1/4"
P101-1620C	P101-1620M	15 1/4" x 19 1/4"
P101-1624C	P101-1624M	15 1/4" x 23 1/4"
P101-1625C	P101-1625M	15 1/4" x 24 1/4"
P101-1820C	P101-1820M	17 1/4" x 19 1/4"
P101-2020C	P101-2020M	19 1/4" x 19 1/4"
P101-2024C	P101-2024M	19 1/4" x 23 1/4"
P101-2025C	P101-2025M	19 1/4" x 24 1/4"
P101-2030C	P101-2030M	19 1/4" x 29 1/4"
P101-2424C	P101-2424M	23 1/4" x 23 1/4"
P101-2425C	P101-2425M	23 1/4" x 24 1/4"
P101-2430C	P101-2430M	23 1/4" x 29 1/4"

Part Numbers (exact sizes)

P101-1321C	P101-1321M	13" x 21 1/2"
P101-1621C	P101-1621M	16 1/4" x 21 1/2"
P101-1821C	P101-1821M	18 1/4" x 21 1/2"
P101-2021C	P101-2021M	19 1/4" x 21 1/2"
P101-2123C	P101-2123M	21 1/4" x 23 1/4"
P101-CAR1C	P101-CAR1M	13" x 24 1/4"
P101-CAR2C	P101-CAR2M	23 1/4" x 24 1/4"

How To Order A Custom Size EAC or Media

Definitions for Custom Sizes:

Custom Exact 1" (P101-5010C or P101-5010M)

Not undercut in any dimension

Example:

18" x 18" x 1" - Actual Dimensions = 18" x 18" x 1"

Custom Nominal 1" (P101-5000C or P101-5000M)

Nominal = Undercut by 3/16" in each dimension

Example:

18" x 18" x 1" - Actual Dimensions = 17 5/8" x 17 5/8" x 1"

Custom Exact 2" (P101-5010C2 or P101-5010M2)

Not undercut in any dimension

Example:

18" x 18" x 2" - Actual Dimensions = 18" x 18" x 2"

Custom Nominal 2" (P101-5000C2 or P101-5000M2)

Nominal = Undercut by 3/16" in each dimension

Example:

18" x 18" x 2" - Actual Dimensions = 17 5/8" x 17 5/8" x 2"

1" Custom sizes available in nominal, exact and oversized. Also available in 2" thickness for commercial applications.



Disposable Replacement Media Pads

The Totaline® Star SERIES CG1000 creates a polarized charge on the media pads, causing airborne particles to "stick" to the pads. This provides a means of disposing of the particles and removing them as the media pads are replaced. Recommended replacement is every 4 months.

- Hypo Allergenic Material
- High Density
- Fire Retardant
- Unique Dry Weave Material
- Pre-Cut to Size
- Highest Surface Area
- Safe, Simple Replacement
- 1 package contains 6 pads (2 pads required per changeout)