


INDOOR AIR QUALITY

McDANIEL METALS, INC.


HORIZONTAL FILTER HOUSING



The Accommodator

- EZ customer filter changes.
- No furnace panels or door to remove.
- Heavy-gauge steel construction.
- Filter base insulated on all 4 sides.
- Makes a professional installation.
- Short base handles 1" and 2" filters, height 3-3/4".
- Tall base handles 1", 2", and 4" filters, height 5-3/4".

Electric Furnaces - Physical Data and Specifications



PART NO	OVERALL			DUCT OPENING		FILTER SIZE
	A	B	C	D	E	
HR20	39604	25-1/2	22	19-3/4	19	20 x 25
HR25	39604	20-1/2	27	19-3/4	19	20 x 25
HRB20	39604	25-1/2	22	--	--	20 x 25
HRB25	39604	20-1/2	27	--	--	20 x 25

PART NO	OVERALL				TOP			FILTER SIZE
	A	B	C	D	E	F	G	
ACE1420	15-3/8	22	6	13-7/8	19	1-1/2	1	14 x 20
ACE1620	17-3/8	22	6	14-7/8	19	1-1/2	1	16 x 20
ACE2020	21-3/8	22	6	18-7/8	19	1-1/2	1	20 x 20
ACE2025	26-3/8	22	6	23-7/8	19	1-1/2	1	20 x 25
ACE2025-N	21-3/8	25	5-3/4	18-3/4	21-3/8	1-1/2	1	20 x 25
ACEE1420	15-3/8	22	3	13-7/8	19	1-1/2	1	14 x 20
ACEE1620	17-3/8	22	3	14-7/8	19	1-1/2	1	16 x 20
ACEE2020	21-3/8	22	3	18-7/8	19	1-1/2	1	20 x 20
ACEE2025	26-3/8	22	3	23-7/8	19	1-1/2	1	20 x 25
ACEE2025-N	21-3/8	25	5-3/4	18-3/4	21-3/8	1-1/2	1	20 x 25

- Standard filter 1", 2", or 4". Completely insulated.
- HR model is open on one side and blocked off on the other side, cut blocked side to furnace specifications.
- HRB model is blocked off on both sides, cut to fit your furnace specifications and the existing plenum.


Gas Furnaces - Physical Data and Specifications

PART NO	OVERALL				TOP			FILTER SIZE
	A	B	C	D	E	F	G	
ACG1425	15-3/8	28-3/8	6	12-7/8	26	1-1/2	1	14 x 25
ACG1425HW80	15-3/8	29	5-3/4	12-7/8	22-1/2	1-3/8	5-1/2	14 x 25
ACGE1425HW80	15-3/8	29	3-3/4	12-7/8	22-1/2	1-3/8	5-1/2	14 x 25
ACG1625	17-3/8	28-3/8	6	14-7/8	26	1-1/2	1	16 x 25
ACH1625HW80	17-3/8	29	5-3/4	14-7/8	22-1/2	1-3/8	5-1/2	16 x 25
ACGE1625HW80	17-3/8	29	3-3/4	14-7/8	22-1/2	1-3/8	5-1/2	16 x 25
ACG2025	21-3/8	28-3/8	6	18-7/8	26	1-1/2	1	20 x 25
ACG2025HW80	21-3/8	29	5-3/4	18-7/8	22-1/2	1-3/8	5-1/2	20 x 25
ACGE2025HW80	21-3/8	29	3-3/4	18-7/8	22-1/2	1-3/8	5-1/2	20 x 25
ACG2424	25-3/8	28-3/8	6	22-7/8	26	1-1/2	1	24 x 24
ACG2424HW80	25-3/8	29	5-3/4	22-7/8	22-1/2	1-3/8	5-1/2	24 x 24
ACGE2424HW80	25-3/8	29	3-3/4	22-7/8	22-1/2	1-3/8	5-1/2	24 x 24
ACGE1425	15-3/8	28-3/8	3	12-7/8	26	1-1/2	1	14 x 25
ACGE1625	17-3/8	28-3/8	3	14-7/8	26	1-1/2	1	16 x 25
ACGE2025	21-3/8	28-3/8	3	18-7/8	26	1-1/2	1	20 x 25
ACGE2424	25-3/8	28-3/8	3	22-7/8	26	1-1/2	1	24 x 24

INDOOR AIR QUALITY

McDANIEL METALS, INC.


LABOR SAVER



- Adjustable Filter Rack - 1", 2", and 4".
- Easy access from both sides.
- Available in 2 sizes (1 - 3 ton) (3.5 - 5 ton).
- Lined with 1" insulation.
- Embossed heavy gauge steel construction.
- Makes installation faster and more efficient.
- Filter positioned on angle for maximum surface area.
- No hardware to remove for filter access.

PART NO	A	B	C	D	E	F	G	FILTER SIZE
LS2832	28-1/2	32	26-1/2	13-1/2	24	8	6	20 x 25
LS2832HW80	28-1/2	32	22-1/2	13-1/2	24	8	6	20 x 25
LS2840	28-1/2	40	26-1/2	19	24	10	7	24 x 24
LS2840HW80	28-1/2	40	22-1/2	19	24	10	7	24 x 24
LS2843	28-1/2	43	26-1/2	19	24	13	7	24 x 24
LS2232	22-1/2	32	20-1/2	14-1/2	20-1/2	9-1/2	5	20 X 20
LS2240	22-1/2	40	20-1/2	20	20-1/2	12	5	20 X 25

COUNTERFLOW FILTER HOUSING



- Counterflow housing.
- Embossed heavy gauge steel.
- Completely insulated.
- 4 sizes through 5 ton.
- Easy access to filters.

PART NO	A	B	C	D	E	F	G	QTY	FILTER SIZE
CF1	15-3/4	21-3/8	12	13-3/4	19-7/8	12-5/8	20-1/8	2	10 x 20 x 1
CF1HW80	14-1/8	23	12	12-1/8	21-3/8	12-5/8	21-5/8	2	10 x 20 x 1
CF2	18-3/4	21-3/8	12	16-3/4	19-7/8	16-1/8	20-1/8	3	10 x 20 x 1
CF2HW80	17-1/2	23	12	15-1/2	21-3/8	16-1/8	21-5/8	3	10 x 20 x 1
CF3	23-1/4	21-3/8	12	21-1/4	19-7/8	20	20-1/8	3	10 x 20 x 1
CF3HW80	21	23	12	19	21-3/8	19-1/2	21-5/8	3	10 x 20 x 1
CF4	27-3/4	21-3/8	12	25-3/4	19-7/8	23-3/8	20-1/8	4	10 x 20 x 1
CF4HW80	24-1/2	23	12	22-1/2	21-3/8	23	21-5/8	4	10 x 20 x 1

ACCOMMODATOR III FILTER HOUSING


- Available in 1 size.
- Adjustable filter track fits 1" - 7" filter widths.

PART NO	OUTSIDE DIMENSIONS
ACIII 2025	25-1/2 x 23-3/4 x 9-1/2

ROLL FILTER

- Adhesive coated fiberglass.
- 2 in. thick.
- Roll length — 66 ft.
- 1.38 in. square drive hole.

PART NO	ROLL HEIGHT (in)
31NC20-113	23.5
31NA20-193	26.25
31NC40-113	34.5
31NA40-113	37.25
31NC50-113	44.0
31NA50-193	47.25
31NC60-113	58.0
31NA60-193	61.25
31NC70-113	68.0



COLD AIR DROP (CAD)

- Constructed of 26 ga. galvanized steel with strengthening beads.
- Comes knocked down.
- Easy open access door.
- No elbow needed.
- Accommodates (2) 16 x 20 and 16 x 25, 1" or 2" filters.
- Individually boxed for convenient shipping and warehousing
- Saves time and money.

PLENUMS

- Constructed of 26 ga. galvanized steel with strengthening beads.
- One-inch lined.
- Individually boxed and labeled to customer specifications for convenient shipping and warehousing.
- Custom sizes available.

INDOOR AIR QUALITY

INDOOR AIR QUALITY

McDANIEL METALS, INC.

TRANSITIONS

- Constructed of 26 ga. galvanized steel.
- One-half inch lined.
- Twelve inches long.
- Individually boxed and labeled to customer specifications for convenient shipping and warehousing.

SLEEVES

- Sleeves give extension to get past the flue in horizontal applications.

DRAIN PANS

- Constructed of 20 ga. galvanized steel.
- Welded corners and welded 3/4 MPT fitting.

HEATER PLATFORMS

- All platforms in each series constructed of 5/8" plywood.
- All platforms in each series covered in sheet metal.
- Heater stands constructed of 20 ga. galvanized steel.
- Saves time and money.

HFP SERIES

- Platform has two heater stands zip screwed to the top.
- Used primarily with horizontal gas furnaces.
- Just nail to studs — no need to hang furnace.

HBCP SERIES

- Platform has a drain pan spot welded to the top as well as heater stands spot welded into the interior of pan.
- Used primarily with electric air handlers.
- Makes a professional installation.

HFCP SERIES

- Platform has a drain pan spot welded to one side with a heater stand spot welded in the interior of the pan.
- Two heater stands zip screwed to the other side to accommodate a gas furnace.
- Used with a horizontal gas furnace and horizontal evaporator coil.

HEATER STANDS

- Constructed of 20 ga. galvanized steel.

RETURN AIR PLENUMS

RAFP SERIES

- Accepts 1", 2", or 4" filter.
- Features an extra end cap with S and drives into a hole cut to fit return air opening, which attaches to the machine then attaches to the plenum.

RAC SERIES

- Same configuration as RAFP without filter channel.

COLD AIR DROPS

PART NO	DIMENSIONS (in)
CAD1620	16 x 20
CAD1625	16 x 25

SUPPLY PLENUMS

PART NO	DIMENSIONS (in)
SP1-36	12-5/8 x 19
SP2-36	16 x 19
SP3-36	19-3/8 x 19
SP4-36	23 x 19
SP5-36	16 x 21
SP6-36	23 x 21
SP7-36	34 x 21
SP8-36	12-1/2 x 11
SP9-36	16 x 11-1/4
SP10-36	19-1/2 x 11-1/4
SP11-36	13-1/4 x 21
SP12-36	16-3/4 X 21
SP13-36	20 x 21
SP14-36	23 x 23-1/2
SP15-36	3/4 x 21
SP16-36	21-3/4 x 21
SP17-36	24-3/4 X 21
SP18-36	16 x 16 x 36
SP19-36	20 x 20 x 36
SP20-36	16-3/4 x 14
SP21-36	16-3/4 x 17-5/8
SP22-36	16-3/4 x 21-1/4
SP23-36	16-3/4 x 24-7/8
SP24-36	12 x 14-3/8
SP25-36	12 x 17-7/8
SP26-36	12 x 21-1/2
SP27-36	12 x 25-1/8
SP28-48	19-1/2 x 20
SP29-48	13 x 20
SP30-36	11 x 20
SP31-36	11 x 23
SP32-36	11 x 22-3/4
SP33-36	18-5/8 x 21-1/4
SP34-36	30-5/8 x 21-1/4
SP35-36	13 x 19-3/4
SP36-36	16 x 19-3/4
SP37-36	19-1/2 x 19-3/4
SP38-36	12-3/4 x 19
SP39	14-3/16 x 18-9/16
SP40	17-1/2 x 18-9/16
SP41	21 x 18-9/16
SP42	24-1/2 x 18-9/16
SP43	22-3/4 x 16
SP44	28-3/8 x 21
SP45	30-3/8 x 21

* The above plenums are also available in 48" length. The PART NO. is SP#-48 (i.e. SP1-48).

INDOOR AIR QUALITY

McDANIEL METALS, INC.

RETURN PLENUMS

PART NO	DIMENSIONS (in)
RP1-36	21-1/2 x 11-5/8
RP2-36	21-1/2 x 15
RP3-36	21-1/2 x 18-1/2
RP4-36	12-5/8 x 20
RP5-36	15-7/8 x 20
RP6-36	22-7/8 x 20
RP7-36	12-3/8 x 19-7/8
RP8-36	15-5/8 x 19-7/8
RP9-36	19-1/8 x 19-7/8
RP10-36	19-7/8 x 22-3/4
RP11-36	24-3/4 x 21
RP12-36	19 x 16
RP13-36	19 x 19-3/8
RP14-36	19 x 23
RP15-36	19-7/8 x 20 w/ 1/2 flange out
RP16-36	15-7/8 x 24-1/4 w/ 1/2 flange out
RP17-36	19-3/8 x 24-1/4 w/ 1/2 flange out
RP18-36	22-7/8 x 24-1/4 w/ 1/2 flange out
RP26-24	22-1/8 x 12-3/4 x 24
RP27-24	22-1/8 x 16-1/8 x 24
RP28-24	22-1/8 x 19-1/2 x 24
RP29-24	22-1/8 x 23 x 24
RP30-24	14 x 14 x 24
RP31-24	14 x 20 x 24
RP32-24	14 x 24 x 24
RP33-24	14 x 30 x 24
RP34-24	20 x 20 x 24
RP35-24	20 x 25 x 24
RP36-36	20 x 20 x 36
RP-PEX	20 x 19-1/4 x 24
RAFP	20 x 25 x 24 w/Filter Rack
RAFP20/25-3	20 x 25 x 36 w/Filter Rack
RAC24	20 x 25 x 24 R/A Plenum
RAC36	20 x 25 x 36 R/A Plenum
RP37	22-1/2 x 13-7/8
RP38	22-1/2 x 17-7/8
RP39	16 x 25

The above plenums are also available in 48" length. The PART NO. is RP#-48 (i.e. RP1-48).

DOWNFLOW SUPPLY PLENUMS

PART NO	DIMENSIONS (in)
DFSP248	8 x 24 Opening 20 Ga.
DFSP2412	12 x 24 Opening 20 Ga.

TRANSITIONS

PART NO	DIMENSIONS (in)
TR1-18	19 x 12-5/8 to 16 x 21
TR2-18	19 x 14 to 23 x 21
TR3-18	19 x 16 to 23 x 21
TR4-18	19 x 19-1/2 to 34 x 21
TR5-18	11-1/4 x 21-1/2 to 16 x 21
TR6-18	11-1/4 x 21-1/2 to 23 x 21
TR7-18	14-3/4 x 21-1/2 to 23 x 21
TR8-18	18-3/4 x 21-1/2 to 34 x 21
TR9-18	19 x 22-7/8 to 34 x 21

TR10-18	19 x 14 to 16 x 21
TR15-18	19 x 14 to 16 x 21
TR16-18	19 x 16 to 34 x 21
TR17-18	19 x 19-1/2 to 23 x 21
TR21-8	13-1/4 x 23-5/8 to 13-1/4 x 20-3/4 w/ 1.5-in. liner
TR22-8	13-1/4 x 23-5/8 to 13-3/4 x 24 w/ 1.5-in. liner
TR23-8	16-1/2 x 23-5/8 to 13-1/4 x 20-3/4 w/ 1.5-in. liner
TR24-8	16-1/2 x 23-5/8 to 13-3/4 x 24 w/ 1.5-in. liner
TR25-8	16-1/2 x 23-5/8 to 18 x 18-3/4 w/ 1.5-in. liner
TR26-8	16-1/2 x 23-5/8 to 18 x 23-1/2 w/ 1.5-in. liner
TR27-8	20 x 23-5/8 to 13-3/4 x 24 w/ 1.5-in. liner
TR28-8	20 x 23-5/8 to 18 x 18-3/8 w/ 1.5-in. liner
TR29-8	20 x 23-5/8 to 18 x 23-1/2 w/ 1.5-in. liner
TR30-8	23-1/2 x 23-5/8 to 13-3/4 x 24 w/ 1.5-in. liner
TR31-8	23-1/2 x 23-5/8 to 18 x 18-3/8 w/ 1.5-in. liner
TR32-8	23-1/2 x 23-5/8 to 18 x 23-1/2 w/ 1.5-in. liner
TR33-18	19 x 12-5/8 to 23 x 21
TR34-18	19 x 12-5/8 to 18-5/8 x 21-1/4
TR35-18	19 x 19-1/2 to 30-5/8 x 21-1/4
TR36-18	BLOCKOUT TRANSITION
TR11-10	12-9/16 x 20
TR12-18	15-7/8 x 20
TR13-10	19-3/8 x 20
TR14-10	22-7/8 x 20
TR15-18	19 x 14 to 16 x 21
TR18-6	12-3/4 x 19-1/4 to 16-1/8 x 19

DRAIN PANS

PART NO	DIMENSIONS (in)
DP14X44-26	14 x 44, 26 Ga. Galvanized Steel
DP16X44-20	16 x 44, 20 Ga. Galvanized Steel
DP32X36-26	32 x 36, 26 Ga. Galvanized Steel
DP31X48-26	31 x 48, 26 Ga. Galvanized Steel
DP31X60-26	31 x 60, 26 Ga. Galvanized Steel
DP31X65-26	31 x 65, 26 Ga. Galvanized Steel

FILTER HOUSING

PART NO	DIMENSIONS (in)
ACIII2025	Accommodator III Housing (2025)
CF1	Counterflow Filter Housing
CF2	Counterflow Filter Housing
CF3	Counterflow Filter Housing
CF4	Counterflow Filter Housing

HEATER PLATFORMS

PART NO	DIMENSIONS (in)
HFP2448	24 x 48 Platform
HFP3048	30 x 48 Platform
HBCP3248	32 x 48 Platform with Drain Pan Spout
HBCP3260	32 x 60 Platform with Drain Pan Spout
HBCP3266	32 x 66 Platform with Drain Pan Spout
HBCP3276	32 x 76 Platform with Drain Pan Spout
HFCP3556	35 x 66 Platform with 24 x 35 Drain Pan

INDOOR AIR QUALITY

INDOOR AIR QUALITY

McDANIEL METALS, INC.

SLEEVES

PART NO	DIMENSIONS (in)
TR11-10	12-9/16 x 20
TR12-10	15-7/8 x 20
TR13-10	19-3/8 x 20
TR14-10	22-7/8 x 20

HEATER STANDS

PART NO	DIMENSIONS (in)
HS9X30	9 x 30 FLAT
HS6X30	6 x 30 FLAT
HS6X30WC	6 x 30 FLAT W/CAP

SUPPLY PLENUM

PART NO	FOR CARRIER UNITS	DIMENSIONS (in)
SP1-36	CK5BXA24/30	12-5/8 x 19 x 36
SP2-36	CK5BXA36	16 x 19 x 36
SP3-36	CK5BXA42/48	19-3/8 x 19 x 36
SP4-36	CK5BXA60	23 x 19 x 36
SP5-36	CE3AXA24/30	16 x 21 x 36
SP6-36	CE3AXA36	23 x 21 x 36
SP7-36	CE3AXA36/42/48	34 x 21 x 36
SP8-36	FA/FB4ANF18/24	12-1/2 x 11 x 36
SP9-36	FA/FB4ANF30/36	16 x 11-1/4 x 36
SP10-36	FA/FB4ANF42/48/60	19-1/2 x 11-1/4 x 36

RETURN PLENUM

PART NO	CARRIER UNITS	BRYANT UNITS	PAYNE UNITS	DIMENSIONS (in)
RP1-36	58EFB075	349HAV	--	21-1/2 x 11-5/8 x 36
RP2-36	58EFB100	349HAV	--	21-1/2 x 15 x 36
RP3-36	58EFB125	349HAV	--	21-1/2 x 18-1/2 x 36
RP4-36	58RAV050-12;	373HAV	PG8DAA	12-9/16 x 20 x 36
RP4-36	58RAV070-12	373 HAV	PG8DAA	12-9/16 x 20 x 36
RP5-36	58RAV095-1-16	373HAV	PG8DAA	15-7/8 x 20 x 36
RP6-36	58RAV115-1-20	373HAV	PG8DAA	22-7/8 x 20 x 36

Suffixes for Transitions and Plenum's:

-24 = Plenums 24" long

-36 = Plenums 36" long

-48 = Plenums 48" long

Part numbers ending in "T" are lined R-6.

Part numbers ending in "U" are uninsulated.

INDOOR AIR QUALITY

INDOOR AIR QUALITY

McDANIEL METALS, INC.

TRANSITIONS

PART NO	DIMENSIONS (in)	CARRIER UNITS	BRYANT UNITS	PAYNE UNITS
TR1-18	19 x 12-5/8 to 16 x 21 x 18	58RAV050-1-08	481BAV024	PG8DAA
TR1-18	19 x 12-5/8 to 16 x 21 x 18	--	373LAV	PG8DAA
TR2-18	19 x 14 to 23 x 21 x 18	58RAV070-1-12	481BAV036070	PG8DAA
TR2-18	19 x 14 to 23 x 21 x 18	58AZV070	373LAV	PG8DAA
TR2-18	19 x 14 to 23 x 21 x 18	--	375CAV	--
TR3-18	19 x 16 to 23 x 21 x 18	58FAV095-1-16	481BAV048095	PG8DAA
TR3-18	19 x 16 to 23 x 21 x 18	--	373LAV	PG8DAA
TR3-18	19 x 16 to 23 x 21 x 18	--	349HAZ036050	--
TR4-18	19 x 19-1/2 to 34 x 21 x 18	58RAV115-1-20	349HAZ036050	--
TR4-18	19 x 19-1/2 to 34 x 21 x 18	--	373LAV	PG8DAA
TR5-18	11-1/4 x 21-1/2 to 16 x 21 x 18	58EFA050-1-12	349HAZ036050	--
TR6-18	11-1/4 x 21-1/2 to 21 x 21 x 18	58EFA075-1-60	349HAZ036075	--
TR7-18	14-3/4 x 21-1/2 to 23 x 21 x 18	58EFA100-1-16	349HAZ048100	--
TR8-18	18-3/4 x 21-1/2 to 34 x 21 x 18	58EFA125-1-20	349HAZ060125	--
TR9-18	19 x 22-7/8 to 34 x 21 x 18	58WAV136-20	395CAV	--
TR9-18	19 x 22-7/8 to 34 x 21 x 18	58UHV100-20	--	--
TR10-18	19 x 14 to 21 x 18	2.5 Ton 3T Appl	--	--
TR11-10	12-9/16 x 29 x 10	58RAV050/070	373LAV	PG8DAA050/070
TR12-10	15-7/8 x 20 x 10	58RAV095-1-16	373LAV	PG8DAA048095
TR13-10	19-3/8 x 20 x 10	58RAV115-1-20	373LAV	PG8DAA060115
TR14-10	22-7/8 x 20 x 10	58RAV135-1-20	373LAV	PG8DAA060135

INDOOR AIR QUALITY

McDANIEL METALS, INC.

FAN COIL UNITS

CARRIER/BRYANT REFERENCE CHART

Fan Coil Unit	Return Plenum	Supply Plenum	Drain Pans	Accommodator Filter Housings	Labor Saver Filter Housing
FA4BNF024	RP7	SP8	DP31X48-26 / DP31X48-20	ACE1420 / ACEE1420	LS2232
FA4BNF030	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FA4BNF036	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FA4BNF042	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FA4BNF048	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FA4BNF060	RP10	SP32	DP31X60-26 / DP31X60-20	ACE2025 / ACEE2025	LS2240

FB4BNF024	RP7	SP8	DP31X48-26 / DP31X48-20	ACE1420 / ACEE1420	LS2232
FB4BNF030	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FB4BNF036	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FB4BNF042	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FB4BNF048	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FB4BNF060	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FB4BNB070	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240

FC4CNF030	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FC4CNF042	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FC4CNF048	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FC4CNB060	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240

FK4CNF003	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FK4CNF005	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FK4CNB006	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240
FK4DNF002	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FK4DNF003	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FK4DNF005	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FK4DNB006	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240

Include on part number '-24' for 24" long plenum
 Include on part number '-36' for 36" long plenum
 Include on part number '-48' for 48" long plenum
 Part number ending in 'T' is lined with R-6 insulation
 Part number ending in 'U' is uninsulated
 Part number ending in 'R8' is lined with R-8 insulation

INDOOR AIR QUALITY

INDOOR AIR QUALITY

McDANIEL METALS, INC.

FAN COIL UNITS

CARRIER/BRYANT REFERENCE CHART

Fan Coil Unit	Return Plenum	Supply Plenum	Drain Pans	Accommodator Filter Housings	Labor Saver Filter Housing
FV4BNF002	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FV4BNF003	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FV4BNF005	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FV4BNB006	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240
FX4BNF030	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FX4BNF036	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FX4BNF048	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FX4BNB060	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240
FE4ANF002	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
FE4ANF003	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FE4ANF005	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
FE4ANF006	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240
PF1MNC018	RP7	SP8	DP31X48-26 / DP31X48-20	ACE1420 / ACEE1420	LS2232
PF1MNC024/030	RP8	SP9	DP31X60-26 / DP31X60-20	ACE1620 / ACEE1620	LS2232
PF1MNC036	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
PF1MNC042/043	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
PF1MNC048/049	RP9	SP10	DP31X60-26 / DP31X60-20	ACE2020 / ACEE2020	LS2240
PF1MNC060/061	RP10	SP32	DP31X65-26 / DP31X65-20	ACE2025 / ACEE2025	LS2240

Include on part number '-24' for 24" long plenum
 Include on part number '-36' for 36" long plenum
 Include on part number '-48' for 48" long plenum
 Part number ending in 'T' is lined with R-6 insulation
 Part number ending in 'U' is uninsulated
 Part number ending in 'R8' is lined with R-8 insulation

INDOOR AIR QUALITY